

L Number	Hits	Search Text	DB	Time stamp
-	374	"4821178" "4845615" "5103394" "5450586" "5479652" "5485574" "5493673" "5528753" "5537541" "5572672" "5581482" "5651112" "5796939" "5809450" "5857097" "5923872" "5964867" "6000044" 6009514.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/24 09:42
-	388	717/130,134,131,124.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/13 17:02
-	32	("4821178" "4845615" "5103394" "5450586" "5479652" "5485574" "5493673" "5528753" "5537541" "5572672" "5581482" "5651112" "5796939" "5809450" "5857097" "5923872" "5964867" "6000044" 6009514.pn.) and 717/130.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/13 17:04
-	50	((("4821178" "4845615" "5103394" "5450586" "5479652" "5485574" "5493673" "5528753" "5537541" "5572672" "5581482" "5651112" "5796939" "5809450" "5857097" "5923872" "5964867" "6000044" "6009514").pn.) and (sample or monitor or instrument or porfile or performance or "data value" or operand or result or instruction or interval or "program counter" or "shared library" or database or "data base" or kernel or interrupt or destination or branch or call or return or jump or interpret or state or event or clock or cycle or count or tuple or destination or register or stack or frame or memory or value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/18 15:29
-	50	((("4821178" "4845615" "5103394" "5450586" "5479652" "5485574" "5493673" "5528753" "5537541" "5572672" "5581482" "5651112" "5796939" "5809450" "5857097" "5923872" "5964867" "6000044" "6009514").pn.) and (sample or monitor or instrument or porfile or performance or "data value" or operand or result or instruction or interval or "program counter" or "shared library" or database or "data base" or kernel or interrupt or destination or branch or call or return or jump or interpret or state or event or clock or cycle or count or tuple or destination or register or stack or frame or memory or value)) and (sample or monitor or instrument or porfile or performance or "data value" or operand or result or instruction or interval or "program counter" or "shared library" or database or "data base" or kernel or interrupt or destination or branch or call or return or jump or interpret or state or event or clock or cycle or count or tuple or destination or register or stack or frame or memory or value)) and (sample or monitor or instrument or porfile or performance or "data value" or operand or result or instruction or interval or "program counter" or "shared library" or database or "data base" or kernel or interrupt or destination or branch or call or return or jump or interpret or state or event or clock or cycle or count or tuple or destination or register or stack or frame or memory or value)) and ("virtual machine" or interpreter or "process identifier" or "access control" or encode or permissions or concise or counting or randomized or bit or (generate near3 program))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/18 15:32
-	21	((("4821178" "4845615" "5103394" "5450586" "5479652" "5485574" "5493673" "5528753" "5537541" "5572672" "5581482" "5651112" "5796939" "5809450" "5857097" "5923872" "5964867" "6000044" "6009514").pn.) and (sample or monitor or instrument or porfile or performance or "data value" or operand or result or instruction or interval or "program counter" or "shared library" or database or "data base" or kernel or interrupt or destination or branch or call or return or jump or interpret or state or event or clock or cycle or count or tuple or destination or register or stack or frame or memory or value)) and ("virtual machine" or interpreter or "process identifier" or "access control" or encode or permissions or concise or counting or randomized or bit or (generate near3 program))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/18 15:35
-	107	717/130.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/18 15:39

-	3	5796939.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/19 07:44
-	10	5796939.URPN.	USPAT	2002/06/18 15:40
-	107	717/130.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/19 07:44
-	94	717/130.ccls. and value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/19 08:51
-	33	717/130.ccls. and interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/19 13:12
-	8	5884080.URPN.	USPAT	2002/06/19 10:05
-	295	westcott.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/20 16:02
-	2	5151981.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/20 16:03
-	47	("4821178" "4845615" "5103394" "5450586" "5479652" "5485574" "5493673" "5528753" "5537541" "5572672" "5581482" "5651112" "5796939" "5809450" "5857097" "5923872" "5964867" "6000044" 6009514.pn.) and 717/130,134,131,124.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/20 17:01
-	47	(("4845615" "5103394" "5450586" "5479652" "5485574" "5493673" "5528753" "5537541" "5572672" "5581482" "5651112" "5796939" "5809450" "5857097" "5923872" "5964867" "6000044" "6009514").pn.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/20 17:02
-	11	((("6195748" "6070009" "6092180" "6175814" "6112317").pn.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/24 09:57
-	21	(19971126.ad.) and (sample near3 instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/24 10:11
-	0	"beautiful code" or profileme or "digital continuous profiling infrastructure"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 10:19
-	294	712/227.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 10:19

-	4	712/227.ccls. and (modify near3 code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 10:22
-	165	712/227.ccls. and instruction and interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 10:23
-	39	(712/227.ccls. and instruction and interrupt) and value and sample	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 10:29
-	2	((712/227.ccls. and instruction and interrupt) and value and sample) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 10:24
-	2687	714/?ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 10:30
-	11	(714/?ccls. and interrupt and value and sample and register) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 10:32
-	61	714/?ccls. and interrupt and value and sample and register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 10:38
-	551	717/127,128,129,131,158.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 10:38
-	7	(717/127,128,129,131,158.ccls. and instruction and interrupt and value and sample) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 10:39
-	43	717/127,128,129,131,158.ccls. and instruction and interrupt and value and sample	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 10:45
-	38	(717/127,128,129,131,158.ccls. and instruction and interrupt and value and sample) and (trac\$3 or profil\$3 or instrumenta\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 13:25
-	2	5151981.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 13:26
-	1	5151981.pn. and code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 13:38

-	1	5151981.pn. and interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 13:41
-	1	5581482.pn. and interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 13:43
-	1	5581482.pn. and (interrupt or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 13:51
-	4	mprof	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 13:59
-	3	5768500.pn. and (sample or monitor or interrupt or store or database or instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 14:27
-	596	(sampling and monitor and program and interrupt\$3 and stor\$3 and database and instruction and code) and (random or interval or constant or result or branch or operand or kernel or library)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 12:17
-	118	(sampling and monitor and program and interrupt\$3 and stor\$3 and database and instruction and code) and (execut\$3 same program) and (value near3 sampl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 16:47
-	17	((sampling and monitor and program and interrupt\$3 and stor\$3 and database and instruction and code) and (execut\$3 same program) and (value near3 sampl\$3)) and (interrupt\$3 near3 (execution or program)) and (stor\$3 or database) and (code or instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 14:20
-	118	((sampling and monitor and program and interrupt\$3 and stor\$3 and database and instruction and code) and (execut\$3 same program) and (value near3 sampl\$3)) and (value near3 sampl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 14:21
-	2	(5768500.pn. and (sample or monitor or interrupt or store or database or instruction)) and value near3 sampl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 14:28
-	2	((5768500.pn. and (sample or monitor or interrupt or store or database or instruction)) and value near3 sampl\$3) and performance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 15:11
-	1	5768500.pn. and program adj counter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 15:42
-	1	5768500.PN. AND CODE	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 16:38

-	205	(compaq\$.as. or digital\$.as) and sample and interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 16:41
-	24	((compaq\$.as. or digital\$.as) and sample and interrupt) and (monitor near3 performance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/25 16:44
-	181	((compaq\$.as. or digital\$.as) and sample and interrupt) not (((compaq\$.as. or digital\$.as) and sample and interrupt) and (monitor near3 performance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/26 10:18
-	1	5768500.pn. and (random or constant) and (operand or result)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/26 13:39
-	1	5768500.pn. and library	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/26 13:40
-	2	5768500.pn. and (control or branch or jump or call or return)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/26 13:50
-	1	5768500.pn. and optimize	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/26 14:37
-	1	5768500.pn. and frequen\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/26 16:51
-	2	6195748.pn. and (random or constant or operand or result or memory or address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/27 08:46
-	0	6195748.pn. and (library)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/27 08:48
-	1	6195748.pn. and (share\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/27 08:50
-	1	6195748.pn. and (shar\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/27 14:15
-	2584	(monitor same performance) and interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 07:20

-	215	((monitor same performance) and interrupt) and kernel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 07:30
-	1303	((monitor same performance) and interrupt) and ((access same control) or privledge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 08:18
-	299	((monitor same performance) and interrupt) and encode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 07:21
-	116	((monitor same performance) and interrupt) and encode) and (sort or reorder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 07:21
-	115	((monitor same performance) and interrupt) and encode) and (sort or reorder)) and (store or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 07:23
-	368	((monitor same performance) and interrupt) and ((access same control) or privledge)) and identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 07:23
-	107	((monitor same performance) and interrupt) and ((access same control) or privledge)) and ((user or group or process) near5 identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 07:25
-	1	((monitor same performance) and interrupt) and ((access same control) or privledge)) and invariance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 07:25
-	1	((monitor same performance) and interrupt) and ((access same control) or privledge)) and invariance) and generate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 07:26
-	90	((monitor same performance) and interrupt) and (conditional adj branch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 07:27
-	44	((monitor same performance) and interrupt) and (conditional adj branch)) and (destination same (bit or switch or tag))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 07:28
-	0	((monitor same performance) and interrupt) and (conditional adj branch)) and (concise adj sample)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 07:28
-	0	((monitor same performance) and interrupt) and (conditional adj branch)) and (counting adj sample)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 07:29

-	125	((monitor same performance) and interrupt) and (kernel same (instruction or call))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 07:31
-	70	((monitor same performance) and interrupt) and (kernel same (instruction or call)) and (user same mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 08:01
-	1147	((monitor same performance) and interrupt) and ((access same control) or privilege)) and (store or database or encode or sort or reorder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 08:02
-	106	((monitor same performance) and interrupt) and ((access same control) or privilege)) and ((user or group or process) near5 identifier)) and ((monitor same performance) and interrupt) and ((access same control) or privilege)) and (store or database or encode or sort or reorder))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 08:04
-	40	((monitor same performance) and interrupt) and ((access same control) or privilege)) and ((process or user or group) adj identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 08:19
-	40	((monitor same performance) and interrupt) and ((access same control) or privilege)) and ((process or user or group) adj identifier)) and stor\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 08:52
-	0	((monitor same performance) and interrupt) and ((access same control) or privilege)) and identifier) and ("access control identifier")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 08:53
-	166	((monitor same performance) and interrupt) and ((access same control) or privilege)) and identifier) and ("access control ")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 09:05
-	79	((monitor same performance) and interrupt) and ((access same control) or privilege)) and identifier) and (access near3 identif\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 09:11
-	79	((monitor same performance) and interrupt) and ((access same control) or privilege)) and identifier) and (user near3 identif\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 09:12
-	107	((monitor same performance) and interrupt) and ((access same control) or privilege)) and identifier) and (group near3 identif\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 09:12
-	51	((monitor same performance) and interrupt) and ((access same control) or privilege)) and identifier) and (user near3 identif\$4)) and (((monitor same performance) and interrupt) and ((access same control) or privilege)) and identifier) and (group near3 identif\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 09:21
-	8563	(user near5 identifier) or (group near5 identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 09:22

-	369	((user near5 identifier) or (group near5 identifier)) and ((monitor or sample or trace or profile) same performance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 09:24
-	357	((((user near5 identifier) or (group near5 identifier)) and ((monitor or sample or trace or profile) same performance)) and stor\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 10:06
-	1	("6381735".pn.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 09:45
-	1	("6381735".pn.) and (user and group and access and control and stor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 09:45
-	356	((((user near5 identifier) or (group near5 identifier)) and ((monitor or sample or trace or profile) same performance)) and stor\$3) and (user or permission or control or privledge or access)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 10:10
-	276	(((((user near5 identifier) or (group near5 identifier)) and ((monitor or sample or trace or profile) same performance)) and stor\$3) and (user or permission or control or privledge or access)) and (user same identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 10:11
-	23	(((((user near5 identifier) or (group near5 identifier)) and ((monitor or sample or trace or profile) same performance)) and stor\$3) and (user or permission or control or privledge or access)) and (user near3 identifier)) and (group near3 identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 10:12
-	191	(((((user near5 identifier) or (group near5 identifier)) and ((monitor or sample or trace or profile) same performance)) and stor\$3) and (user or permission or control or privledge or access)) and (user near3 identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 10:37
-	11970	hardware and monitor and (encode, or sort or reorder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 10:38
-	4120	(hardware and monitor and (encode or sort or reorder)) and interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 10:39
-	2022	((hardware and monitor and (encode or sort or reorder)) and interrupt) and (frequency or count) near5 (data or value or sample)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 10:45
-	1	((hardware and monitor and (encode or sort or reorder)) and interrupt) and (frequency or count) near5 (data or value or sample)) and ((store same continguous) or hotlist)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 10:44
-	463	((hardware and monitor and (encode or sort or reorder)) and interrupt) and (frequency or count) near5 (data or value or sample)) and trace	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 11:06

-	3	19971126.ad. and (stor\$3 and encode and interpret)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 11:09
-	8042	19971126.ad.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 11:09
-	48	19971126.ad. and (compaq\$.as. or digital\$.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 11:11
-	18	(19971126.ad. and (compaq\$.as. or digital\$.as.)) and frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 11:17
-	23	(19971126.ad. and (compaq\$.as. or digital\$.as.)) and stor\$ and (memory or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 11:38
-	19	((19971126.ad. and (compaq\$.as. or digital\$.as.)) and stor\$ and (memory or database)) and (sort or encode or bit or reorder or download or script or java or jvm or interpret\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 13:25
-	37	download and script and JAVA and interpret and (monitor same performance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 13:48
-	162	hotlist or hot-list or "hot list"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 13:50
-	81	(hotlist or hot-list or "hot list") and monitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 13:50
-	81	((hotlist or hot-list or "hot list") and monitor) and (sort or reorder or order or store)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 13:54
-	25	((((hotlist or hot-list or "hot list") and monitor) and (sort or reorder or order or store)) and interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 13:51
-	11	(((((hotlist or hot-list or "hot list") and monitor) and (sort or reorder or order or store)) and interrupt) and interpret and script and download	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 14:28
-	26	intepret\$3 and interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 14:38

-	600	sampling and monitor and program and interrupt\$3 and stor\$3 and database and instruction and code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 14:58
-	597	(sampling and monitor and program and interrupt\$3 and stor\$3 and database and instruction and code) and (generate or write or compose or create) and (code or program or software or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 14:58
-	302	((sampling and monitor and program and interrupt\$3 and stor\$3 and database and instruction and code) and (generate or write or compose or create) and (code or program or software or application)) and (generate same program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 14:59
-	85	((sampling and monitor and program and interrupt\$3 and stor\$3 and database and instruction and code) and (generate or write or compose or create) and (code or program or software or application)) and (generate near3 program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 15:49
-	4287	(monitor same performance) and (data or value) and sample	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 15:51
-	590	((monitor same performance) and (data or value) and sample) and instruction and interpret\$3 and store	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 15:52
-	101	((monitor same performance) and (data or value) and sample) and instruction and interpret\$3 and store) and ((instruction near3 block) or (issue near3 block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 15:53
-	47	((monitor same performance) and (data or value) and sample) and instruction and interpret\$3 and store) and (issue near3 block)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 15:57
-	303	((monitor same performance) and (data or value) and sample) and data adj sample	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 15:58
-	7	((monitor same performance) and (data or value) and sample) and data adj sample) and instruction near3 block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 15:58
-	42	((monitor same performance) and (data or value) and sample) and data adj sample) and interpret) and instruction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 15:59
-	4	((monitor same performance) and (data or value) and sample) and data adj sample) and instruction near3 block) and (((monitor same performance) and (data or value) and sample) and data adj sample) and interpret) and instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 15:59
-	75	((monitor same performance) and (data or value) and sample) and data adj sample) and interpret	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 16:12

-	1	envoy.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 16:28
-	49	((monitor same performance) and (data or value) and sample) and data adj sample) and emulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 16:29
-	10	(((((monitor same performance) and (data or value) and sample) and data adj sample) and interpret) and instruction) and (((monitor same performance) and (data or value) and sample) and data adj sample) and emulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 16:37
-	5171	emulat\$3 and sample	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 16:38
-	3038	(emulat\$3 and sample) and performance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 16:38
-	1256	((emulat\$3 and sample) and performance) and interpret\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/01 16:40
-	47	((emulat\$3 and sample) and performance) and interpret\$3) and 717/???.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/02 07:21
-	0	"717/???"ccls and (database or stor\$3 or buffer) and (count or sort or reorder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/02 07:24
-	0	"717/?"ccls. and (database or stor\$3 or buffer) and (count or sort or reorder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/02 07:26
-	225639	(database or stor\$3 or buffer) and (count or sort or reorder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/02 07:27
-	0	((database or stor\$3 or buffer) and (count or sort or reorder)) and ("717/?"ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/02 07:29
-	32661	((database or stor\$3 or buffer) and (count or sort or reorder)) and (profile or trace)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/02 07:28
-	0	((database or stor\$3 or buffer) and (count or sort or reorder)) and ("717/???"ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/02 07:29

-	140	((((database or stor\$3 or buffer) and (count or sort or reorder)) and (profile or trace)) and ("717/124,125,126,127,128,129,130,131".ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/02 07:30
-	0	(((((database or stor\$3 or buffer) and (count or sort or reorder)) and (profile or trace)) and ("717/124,125,126,127,128,129,130,131".ccls.)) and (store near5 contiguous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/02 07:31
-	18	(((((database or stor\$3 or buffer) and (count or sort or reorder)) and (profile or trace)) and ("717/124,125,126,127,128,129,130,131".ccls.)) and (hot or hotlist or "hot list" or hot-list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/03 16:33
-	17	("5151981" or "5581482" or "5991807" or "6275981" or "6192516" or "6233600" or "6237073" or "6195748").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/03 16:43
-	1126	tty	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 07:51
-	9	tty and 717/???.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 08:00
-	8006	interrupt\$7 and laten\$4 and instruction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 08:28
-	514	interrupt\$7 and laten\$4 and instruction and 714.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 08:21
-	1	interrupt\$7 and laten\$4 and (object adj code) near3 instruction and 714.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 08:22
-	3	interrupt\$7 and laten\$4 and (object adj code) near5 instruction and 714.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 08:26
-	535	interrupt\$7 and laten\$4 and instruction and ((data adj sampl\$3) or (value adj sampl\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 08:38
-	51	interrupt\$7 and laten\$4 and instruction and ((data adj sampl\$3) or (value adj sampl\$3)) and (object adj code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 08:41
-	128	interrupt\$7 and ((data adj sampl\$3) or (value adj sampl\$3)) and (object adj code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 08:42

-	132	(interrupt\$7 or trap\$4) and ((data adj sampl\$3) or (value adj sampl\$3)) and (object adj code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 07:49
-	378	712/244.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 08:57
-	37	712/244.ccls. and sampl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 09:21
-	18	5923872.URPN.	USPAT	2003/09/03 09:09
-	2	6163840.URPN.	USPAT	2003/09/03 09:13
-	96	712/227.ccls. and sampl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 09:21
-	3970	714/???ccls. and sampl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 09:21
-	217	714/???ccls. and sampl\$3 and latenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 09:22
-	78	714/???ccls. and sampl\$3 and latenc\$3 and object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 09:26
-	618	conte.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 09:27
-	43	conte.in. and (interrupt\$3 or trap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 09:51
-	0	martonosi.in. and (interrupt\$3 or trap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:05
-	21329	determin\$3 same code and ((data or value) near3 (sampl\$3 or profil\$3 or monitor\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:08
-	1102	determin\$3 same code and ((data or value) near3 (sampl\$3 or profil\$3 or monitor\$3)) same interrupt\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:09

-	1102	determin\$3 same code and (((data or value) near3 (sampl\$3 or profil\$3 or monitor\$3)) same interrupt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:09
-	6	(determin\$3 same code near3 object) and (((data or value) near3 (sampl\$3 or profil\$3 or monitor\$3)) same interrupt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:13
-	10	(identif\$7 same code near3 object) and (((data or value) near3 (sampl\$3 or profil\$3 or monitor\$3)) same interrupt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:15
-	128	(identif\$7 same code) and (timestamp\$3 or time-stamp\$3 or (time adj stamp\$3)) and (((data or value) near3 (sampl\$3 or profil\$3 or monitor\$3)) same interrupt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:49
-	23	("5047919" "5355487" "5388268" "5613118" "5649085" "5768500" "5777622" "5862381" "5889993" "5898873" "5970245" "6002872" "6006032" "6026236" "6055492" "6158024" "6189142" "6275956" "6332212" "6338159" "6349393" "6349406" "6353924").PN.	USPAT	2003/09/03 11:20
-	3	6275956.URPN.	USPAT	2003/09/03 11:28
-	2	5796939.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 12:15
-	3325	interrupt\$3 same interpret\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 12:16
-	61578	(first and second) same interrupt\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 12:16
-	1009	(sampling and monitor and program and interrupt\$3 and stor\$3 and database and instruction and code) and (random or interval or constant or result or branch or operand or kernel or library)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 07:48
-	60	(interrupt\$3 same interpret\$3) and ((sampling and monitor and program and interrupt\$3 and stor\$3 and database and instruction and code) and (random or interval or constant or result or branch or operand or kernel or library))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 13:45
-	2	6134710.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 13:47
-	27	krishnaswamy.in. and interpret\$3 and block	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 13:48

-	2	5539907.pn. and component	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 08:29
-	1	5966539.pn. and component	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 08:25
-	0	5539907.pn. and component and (computer adj readable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 08:41
-	0	5539907.pn. and heterogeneous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 08:45
-	0	6345311pn. and component and block and instruction and procedure.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 08:46
-	4118	heterogeneous and (neutral or intermediate) and component and block and instruction and procedure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 08:47
-	3825	heterogeneous and (neutral or intermediate) and component and block and instruction and procedure and (translat\$3 or transform\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:12
-	93	heterogeneous and (neutral or intermediate) and component and block and instruction and procedure and (translat\$3 or transform\$3) and ((platform adj (specific or dependent)) or platform-specific or platform-dependent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 08:51
-	46	heterogeneous and (neutral or intermediate) and component and block and instruction and procedure and (translat\$3 or transform\$3) and 717/???ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:26
-	13	heterogeneous and (neutral or intermediate) and (component same block same instruction same (procedure or method or function)) and (translat\$3 or transform\$3) not microsoft.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:27
-	1350	(sampling and monitor and program and interrupt\$3 and stor\$3 and database and instruction and code) and (random or interval or constant or result or branch or operand or kernel or library)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 07:49
-	173	(interrupt\$7 or trap\$4) and ((data adj sampl\$3) or (value adj sampl\$3)) and (object adj code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 07:49
-	3736	(instruction near3 execut\$3) near3 (interrupt\$3 or sampl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 07:50

-	30	(instruction near3 execut\$3) near3 (interrupt\$3 or sampl\$3) same (stor\$3 near3 (database or log or table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 07:51
-	48	((sampling and monitor and program and interrupt\$3 and stor\$3 and database and instruction and code) and (random or interval or constant or result or branch or operand or kernel or library)) and ((instruction near3 execut\$3) near3 (interrupt\$3 or sampl\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 07:52
-	0	((sampling and monitor and program and interrupt\$3 and stor\$3 and database and instruction and code) and (random or interval or constant or result or branch or operand or kernel or library)) and ((instruction near3 execut\$3) near3 (interrupt\$3 or sampl\$3) same (stor\$3 near3 (database or log or table)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 07:52
-	9	((interrupt\$7 or trap\$4) and ((data adj sampl\$3) or (value adj sampl\$3)) and (object adj code)) and ((instruction near3 execut\$3) near3 (interrupt\$3 or sampl\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 08:52
-	116	hardware near2 (monitoring or sampling) same interrupt\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 08:55
-	0	hardware near2 (monitoring or sampling) same interrupt\$3 near5 ((associat\$3 or relat\$3 or map\$4) near3 instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 08:58
-	26	hardware near2 (monitoring or sampling) same interrupt\$3 and ((associat\$3 or relat\$3 or map\$4) near3 instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 10:27
-	19	hardware adj (performance adj monitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 10:28
-	0	instruction near2 ("not" adj modified)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 12:07
-	0	"not" adj modified	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 11:58
-	28	unmodified adj instruction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 12:00
-	4	unaltered adj instruction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 12:04
-	538	without near3 perturba\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 12:08

-	0	(without near3 perturba\$4) near5 instruction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 12:04
-	0	(without near3 perturba\$4) same instruction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 12:05
-	0	(without near3 perturba\$4) same 717/???	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 12:05
-	0	(no near3 perturba\$4) same 717/???	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 12:06
-	0	("not" near5 modif\$7) same instruction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 12:07
-	0	instruction near5 (withoug near5 chang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 12:08
-	115	(without near3 perturba\$4) and (instruction or (object adj code) or binaries or executable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 12:09
-	1	(without near3 perturba\$4) and (instruction or (object adj code) or binaries or executable) and 717/???	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 13:01
-	3583	boundary adj scan\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 13:08
-	46	(boundary adj scan\$4) and (value adj sampl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 13:08
-	250	(boundary adj scan\$4) and ((value or data) adj sampl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 13:09
-	738	boundary adj scan\$4 and interrupt\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 13:09
-	310	boundary adj scan\$4 and interrupt\$3 same instruction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 14:08

-	66	(boundary adj scan\$4) and interrupt\$3 same instruction same (random\$4 or constant or fixed or periodic\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 14:03
-	4	((boundary adj scan\$4) and ((value or data) adj sampl\$3) same interrupt\$3) and ((boundary adj scan\$4) and interrupt\$3 same instruction same (random\$4 or constant or fixed or periodic\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 13:11
-	6	(boundary adj scan\$4) and ((value or data) adj sampl\$3) same interrupt\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 13:12
-	62	(boundary adj scan\$4) and interrupt\$3 same instruction same (random\$4 or constant or fixed or periodic\$4) and execut\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 14:01
-	0	(boundary adj scan\$4) and interrupt\$3 same instruction same (random\$4 or constant or fixed or periodic\$4) and execut\$3 and (program adj performance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 14:02
-	59	(boundary adj scan\$4) and interrupt\$3 same instruction same (random\$4 or constant or fixed or periodic\$4) and performance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 14:03
-	3	(boundary adj scan\$4) and interrupt\$3 same instruction same (random\$4 or constant or fixed or periodic\$4) and performance same (sampl\$3 or monitor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 14:07
-	0	(boundary adj scan\$4) and interrupt\$3 same instruction same (random\$4 or constant or fixed or periodic\$4) and (sampl\$3 or monitor\$3) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 14:07
-	28	boundary adj scan\$4 and interrupt\$3 same instruction and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 14:13
-	71	((boundary adj scan\$4) or (scan adj register) or jtag) and interrupt\$3 same instruction and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 14:14
-	65	((boundary adj scan\$4) or (scan adj register) or jtag) and interrupt\$3 same instruction and database and (random\$4 or constant or fixed or periodic\$4) and (sampl\$3 or monitor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 14:46
-	11	5511164.URPN.	USPAT	2004/10/04 14:22
-	28	((boundary adj scan\$4) or (scan adj register) or jtag) same interrupt\$3 same instruction and (results or log or database) and (random\$4 or constant or fixed or periodic\$4) same (sampl\$3 or monitor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 14:47
-	0	6415243.URPN.	USPAT	2004/10/04 14:54

~2

-	22	("3812478" "3887869" "4115867" "4176402" "4219877" "4409592" "4608559" "4694412" "5392289" "5412587" "5557548" "5657253" "5696828" "5768152" "5768500" "5778194" "5835702" "5835705" "5919268" "6038195" "6119075" "6275782").PN.	USPAT	2004/10/04 15:02
-	16	("3812478" "3887869" "4115867" "4176402" "4219877" "4409592" "4608559" "4694412" "5392289" "5412587" "5557548" "5657253" "5696828" "5768152" "5768500" "5778194" "5835702" "5835705" "5919268" "6038195" "6119075" "6275782").PN. and (database or log or history or file or table)	USPAT	2004/10/04 15:11
-	295	714/??? and (interrupt\$3 or sampl\$3 or monitor\$3) and stor\$3 near3 (database or log or file or result) and (execut\$3 near5 (interrupt\$3 or sampl\$3 or monitor\$3))	USPAT	2004/10/04 15:14
-	63	714/??? and (interrupt\$3 or sampl\$3 or monitor\$3) and stor\$3 near3 (database or log or file or result) and (execut\$3 near5 (interrupt\$3 or sampl\$3 or monitor\$3)) and (unmodifi\$7 or non-intrusive or (without near3 modif\$7))	USPAT	2004/10/04 15:15
-	16	6279124.URPN.	USPAT	2004/10/04 16:15
-	8	6167538.URPN.	USPAT	2004/10/04 16:48
-	0	6772097.URPN.	USPAT	2004/10/04 16:50
-	17	("5664095" "5687376" "5913045" "5991708" "6052694" "6079032" "6098169" "6112317" "6134619" "6167538" "6233531" "6278959" "6282173" "6311056" "6321279" "6381656" "6438684" "2001/0008021").PN.	USPAT	2004/10/04 16:50
-	10	6233531.URPN.	USPAT	2004/10/04 17:12
-	8	("5226153" "5657253" "5691920" "5729678" "5754449" "5790831" "5970439" "6023759").PN.	USPAT	2004/10/04 17:14
-	1	5768500.pn. and (object or machine or executable or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 16:47
-	51	5768500.URPN.	USPAT	2004/10/05 16:37
-	62	(sampling and monitor and program and interrupt\$3 and stor\$3 and database and instruction and code) and (execut\$3 same program) and (value near3 sampl\$3) and (object adj code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 16:48